



A Tradition of Stewardship
A Commitment to Service

Health & Human Services Agency
Public Health Division
2344 Old Sonoma Road
Building G
Napa, CA 94559
www.countyofnapa.org/PublicHealth
Main: (707) 253-4270
Fax: (707) 253-4880
Howard Himes
Director

HEALTH ADVISORY

Measles Cases in California

February 9, 2015

Letter to Parents of Students:

We are writing to update you on the measles situation in California and Napa County. At this time there are no measles cases reported in Napa County, but other counties in the Bay Area have reported cases. It is possible that there will be more measles cases. As of February 4th, 99 people in California have been confirmed with measles since late December 2014.

We want to reassure parents that although measles is very contagious, it is highly preventable through vaccinations. If your children have been fully vaccinated, they are well protected from catching measles. However, California's measles outbreak serves as an important reminder that everyone needs to be vaccinated if they have not had the disease in the past.

The Centers for Disease Control and Prevention (CDC) and pediatricians recommend that children get two doses of the MMR (measles, mumps, and rubella) vaccine. The first dose is given at 12 to 15 months of age and the second dose usually at 4 to 6 years of age. Two doses of MMR vaccine are more than 99 percent effective in preventing measles.

Not only is the MMR a doctor-recommended vaccine, it is also required for school. School immunization requirements make schools and our community safer and healthier. Unless they have an exemption, most school age children in California have received MMR vaccine.

However, in settings where large numbers of unvaccinated people gather, such as tourist attractions or schools with high exemption levels, diseases such as measles can spread quickly and sicken many, including babies too young to be vaccinated and those who cannot be vaccinated because of a health condition.

Adults also need to be up to date on vaccinations. We recommend that everyone, including parents, teachers and volunteers, review their vaccination records. People born before 1957 are considered immune as they likely had measles as children and developed immunity from the disease. Ask your doctor if you have any questions about your vaccination status.

Sincerely,

A handwritten signature in black ink, appearing to read "K. Smith".

Karen Smith, MD, MPH
Health Officer